



HKD ELEVATORS PTY LTD

Address: 5/200 Wellington Road, Clayton VIC 3168, Australia

Tel: +61 3 9590 6888

Website: hkdelevators.com.au

E-mail: sales@hkdelevators.com.au

健康 · 低碳 · 科技
HEALTHY · LOW-CARBON · TECHNOLOGY



2025-01版

家用电梯

Villa Elevator Series

◎ 公司简介 Company Introduction

全面升降机产品制造者 A Comprehensive Elevator Manufacturer

三洋电梯(珠海)有限公司是一家全面升降机产品的研发和制造企业。公司坚持以人为本的服务宗旨，向客户提供一流产品和服务，努力打造个性化优质电梯品牌。三洋电梯(珠海)有限公司通过不断精工进取，创新研发，推出多款适合各种需求及个性化定制产品。为客户提供技术咨询，设计，制造和安装，售后等全过程和全方位服务。

SANYO ELEVATOR(ZHUHAI)CO.,LTD, is a comprehensive elevator manufacturer enterprises. Adheres to the concept of "people-oriented" service purpose to provide customers with first-class products and services, and strive to create a personalized high quality elevator brand. Through continuous refinement and innovation, SANYO ELEVATOR(ZHUHAI)CO.,LTD. Has launched a series of products suitable for various needs and non-standard customized product, providing customers a whole process of technical consulting, design, manufacturing, installation and after-sales service.



◎安全 Safe



安全，作为选择家用梯的首要考量因素，至关重要。三洋电梯（珠海）有限公司匠心打造的家用梯，以专业品质和严谨工艺，为您构筑起坚不可摧的安全防线，提供值得信赖的安全保障。

Safety, as the primary consideration when choosing a home elevator, is of crucial importance. The home elevators meticulously crafted by Sanyo Elevator (Zhuhai) Co., Ltd., with professional quality and rigorous craftsmanship, build an indestructible safety defense line for you and provide trustworthy safety guarantees.

十大安全保护装置，全方位守护用户安全 Ten major safety protection devices, providing all-round user safety guard

- 1 安全钳 Safety gear
- 2 限速器 Speed Limiter
- 3 缓冲器 Shock absorber
- 4 红外线光幕保护 Infrared light curtain protection
- 5 防扒门装置 Anti-theft door device
- 6 上行超速保护装置 Upper Overspeed Protection Device
- 7 停电应急平层装置 Power Failure Emergency Leveling Device
- 8 门锁短接检测 Door Lock Short Circuit Detection
- 9 层门防脱保护装置 Door Anti-falling Protection Device
- 10 封星保护 Star Protection

◎品质 Quality



降噪 Noise Reduction:

非接触式磁感应原理，电梯换速无噪音、无振动，静音效果高出国标20%，与电梯一墙之隔的卧室中也能安心入睡。

Non-contact magnetic induction principle ensures noiseless and vibration-free elevator speed changes with 20% higher soundproofing performance than national standards. Even in a bedroom just one wall away from the elevator, you can sleep peacefully.



减震 Shock Absorption:

增加主机减震，降低主机产生的振动与噪音，带来舒适乘梯感受。

Reducing the vibration of traction machine and noise, ensuring a smoother and more comfortable elevator ride.



净化 Air Purification:

空气负离子净化装置，可实现轿厢去味、灭菌、消毒等功能，呵护您的健康生活(选配)。

Equipped with negative ion air purification, this system effectively eliminates odors, sterilizes, and disinfects the cabin, safeguarding your healthy lifestyle. (Optional feature)

◎可靠 Reliable

该家用梯采用品质卓越的无齿轮同步曳引机作为主机，相较于传统有齿轮机，能耗大幅降低40%，节能效果显著。同时，轿内配备LED灯照明，高效节能又环保。

The villa elevator uses a high-quality gearless synchronous traction machine as its main unit. Compared with traditional geared machines, its energy consumption is significantly reduced by 40%, achieving remarkable energy-saving effects. Meanwhile, the elevator car is equipped with LED lighting, which is highly energy-efficient and environmentally friendly.

曳引机制动器
≥500 万次

按钮寿命测试
≥500 万次

门锁开关试验
≥300 万次

钢丝绳破断拉力
>额定载荷 12倍

湿度适应性
30%~95%RH

层门、门套及轿厢内层站
不锈钢件涂层盐雾试验
500小时无锈蚀

◎ 智能 Intelligent

无接触呼梯(选配) Non-contact Elevator Call (Optional)

可采用语音、手机二维码、等方式呼梯，
Elevators can be summoned via voice command,
mobile QR code and other contactless methods.

让乘梯更安全。
Ensuring a safer elevator ride.

智能身份识别系统
Intelligent access control system.

打造专属乘梯体验，乘客可通过VIP刷卡系统，
直接到达目的楼层。

Passengers can directly access their destination
floors via the VIP card access system.

物联网服务系统 Internet of things



1 停电自动救援 Emergency Rescue Operation

正常电源断电时，充电式电
池提供电梯电源，电梯驶往
最近层站，层门、轿门自动
打开。

Upon power outage, the
elevator switches to
rechargeable battery
power and safely moves
to the nearest landing,
automatically unlocking
and opening car door and
landing door.

2 远程监控 Remote Monitoring

对电梯的运行状况进行分析，有
针对性地维护保养，电梯故障时
自动短信提醒，提高维修快速反
应能力。

Analyze elevator operational
status, perform targeted
maintenance, automatically
send SMS alerts upon faults,
and enhance rapid response
capability for repairs.

3 困人警告 Passenger Trapped Alarm

电梯发生故障自动向维修人员发送告
警信息，让维保人员第一时间了解故障电
梯信息及电梯故障类型，赶赴现场进行
处理。

If the elevator encounters a
malfunction, the system will
automatically trigger an alarm and
send real-time notifications to
maintenance technician, ensuring
they are informed of the issue at
the earliest possible moment.

◎ 一键救援方案 One-Click Rescue Solution

智能电梯管家 Intelligent Elevator Assistant

一键呼救装置标准配置

当乘客在电梯内出现意外情况想对外求援时，可按一键呼叫救援系统警铃按钮对外求援，
系统自动呼叫预设呼叫人或乘客自己选择呼叫人。


注：轿厢在多层地下室时，通信信号会变弱或断开，需要用户加装信号放大装置。

When a passenger encounters an emergency inside the elevator and needs to call for help,
they can press the one-button emergency call alarm to request assistance. The system will
automatically contact the pre-set emergency contacts or allow the passenger to manually
select a contact.


Note: If the elevator cabin is located in a multi-level underground parking lot,
communication signals may weaken or disconnect. In such cases, users are advised to install a
signal amplifier to ensure reliable communication.

产品特点 Product Features

- 支持全网通4G卡； Supports all major 4G network carriers;
- 通过短信方式存储4组被叫号码； Stores 4 preset emergency contact numbers via SMS;
- 装置安装于COP（同轿厢对讲副机尺寸相近），天线（3米）置于轿顶； Installed in the COP (dimensions matching the car intercom sub-unit), with a 3-meter antenna mounted on the car roof;
- 标准品不支持海外使用，若有需求需要定制。 Standard models are not for international use. Please contact us for customization options.



◎ SANYOCZH 系列家用电梯 SANYOCZH Home Lift Series



新一代家用梯深度融合安全、环保、健康与舒适理念，精准契合现代生活观念，无疑是家用梯领域的优选之选。

Where cutting-edge safety meets sustainable luxury. Experience the perfect harmony of wellness, comfort,
and smart living—the ultimate modern home solution.

◎ 曳引式家用电梯

Traction Villa Elevator

采取业内主流的曳引驱动方式，具有灵敏便捷、运行平稳舒适、节能环保等优势。
先进的无机房结构，占地面积小、土建要求低，满足不同类型的别墅结构。

It applies the most mainstream traction drive mode in the elevator industry. it has the advantages of sensitive, prompt, convenient, cozy and smooth operation, energy-saving and environment protection etc.
It satisfies different villa structures because of the advanced machine room-less structure, small covering area, low requirements to construction layout.


曳引式家用电梯特点

Features of traction villa elevator

有机房，无机房
可根据房屋结构开门需求采用背包架式和龙门架式电梯结构
VVVF驱动技术:家用电梯专用微机板控制，平稳舒适
专用曳引机机架:固定于导轨，如建筑物同步固定
主机:可采用220V~380V单相电源。普通家用电，无需另外申请工业电源
自动门机:变频节能，安全可靠
SRD(应急救援系统):在停电时可以应急放人
应急电话:紧急情况下，可对外拨打任何电话
运行时总额定功率1.5KW(其中驱动系统1.1KW)小于一台微波炉的功率比商用小电梯省电80%

With machine room, machine room-less.
Backpack frame / gantry frame elevator structure are available as per the housing structural opening requirements.
VVVF drive technology: Cozy and smooth villa elevator special-purpose micro-computer board control.
Special-purpose traction machine brackets: It is fixed in guide-rail just as synchronous building fixture.
Host: It can apply 220V~380V single-phase power supply. Ordinary home-use power needs no additional application for industrial power.
Automatic door machine: Safe and reliable variable frequency energy-saving
SRD (emergency rescue system): If power fails, it can emergency release the trapped passengers.
Emergency phone: under emergency matters, it can dial any phone calls.
During the running process, total rated power 1.5kW (including 1.1kW drive system) is less than wattage of a micro-wave oven. It saves 80% of power compared with a small commercial-use elevator.

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.



◎井道装饰方案

Shaft Decoration Solution



钢结构井架 Steel Hoistway

性价比高，外包板后期由装修单位封装与设计风格一致，安装位置可自选，表面喷涂防锈处理，耐腐蚀。

Cost-effective, packaging and design style of the board by the decoration unit is the same in the later stage, installation location can be optional, surface spraying rust-proof treatment, corrosion resistance.

可选型材颜色 Optional material color



黑色 Black



炫彩银 Dazzle colour silver

铝合金井架 Aluminum Hoistway

航空级铝合金材质，硬度强、重量轻、承重大
拼装式结构，安装方便、快捷
直角型立柱，外观优雅大气
玻璃内外都可安装，玻璃实现单独拆换
相框安装结构

Aviation grade aluminum alloy material with strong hardness
light weight and heavy bearing capacity
Assembled structure, easy and fast installation
Straight-angle column, elegant and atmospheric in appearance
The glass can be installed inside and outside
and the glass can be detached and replaced separately
Installation structure of photo frame

可选型材颜色 Optional material color



亮光白 Bright White



香槟金 Champagne Gold



香槟银 Champagne Silver



玫瑰金 Rose Gold



磨砂黑 Matte Black



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

◎轿厢款式 Cabin Style



SY-JBZ03

标准配置

轿顶	镜面不锈钢
轿壁	发纹不锈钢
	镜面不锈钢

轿门	发纹不锈钢
前壁	发纹不锈钢
操纵箱	SY-CZ08
地板	PVC



Standard Configuration

Cabin Ceiling: Mirror Stainless Steel

Cabin wall: Hairline Stainless Steel

Mirror Stainless Steel

Cabin Door: Hairline Stainless Steel

Front Wall of Cabin: Hairline Stainless Steel

COP: GOP-006

Floor: Marble (by user)



SY-JBY01

可选配置

轿顶	镜面不锈钢
轿壁	黑钛镜面不锈钢
	黑钛镜面蚀刻不锈钢

轿门	黑钛发纹不锈钢
前壁	黑钛发纹不锈钢
操纵箱	SY-CZ08
地板	大理石(客户自理)



Optional Configuration

Cabin Ceiling: Mirror Stainless Steel

Cabin Wall: Black Titanium Mirror Finish Stainless Steel

Black Titanium Mirror-Finished Etched Stainless Steel

Cabin Door: Black Titanium Hairline Stainless Steel

Front Wall of Cabin: Black Titanium Hairline Stainless Steel

COP: SY-CZ08

Floor: Marble ((by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

SY-JBY03

可选配置

轿顶	镜面不锈钢镀玫瑰金 透光板
轿壁	喷砂不锈钢镀玫瑰金 镜面不锈钢镀玫瑰金
轿门	喷砂不锈钢镀玫瑰金
前壁	喷砂不锈钢镀玫瑰金
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling:Mirror stainless steel with rose gold plating
Translucent panel
Cabin Wall:Sandblasted stainless steel with rose gold plating
Mirror finish stainless steel with rose gold plating
Cabin Door:Sandblasted stainless steel with rose gold plating
Front Wall of Cabin: Sandblasted stainless steel with rose gold plating
COP: SY-CZ08
Floor:Marble((by user)



SY-JBY06

可选配置

轿顶	镜面不锈钢、线条灯 射灯
轿壁	咖金艺术钢板、大理石纹艺术钢板、镜面不锈钢 LED灯带
轿门	发纹不锈钢
前壁	发纹不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Mirror stainless steel, LED strip light, Spotlight
Recessed light
Cabin Wall:Coffee gold Art steel plate,Marble pattern Art steel plate,
Mirror stainless steel
LED strip light
Cabin Door:Brushed stainless steel
Front Wall of Cabin:Hairline stainless steel
COP: SY--CZ08
Floor:Marble((by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

SY-JBY07

可选配置

轿顶	喷涂钢板 玫瑰金镜面装饰条
轿壁	玫瑰金镜面不锈钢 玫瑰金镜面蚀刻不锈钢 玫瑰金喷砂不锈钢
轿门	玫瑰金喷砂不锈钢
前壁	玫瑰金喷砂不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Sprayed steel plate
Rose gold mirror trim
Cabin Wall: Rose gold mirror finish stainless steel
Rose gold mirror finished stainless steel with etching
Rose gold sandblasted stainless steel
Cabin Door: Rose gold sandblasted stainless steel
Front Wall of Cabin: Rose gold sandblasted stainless steel
COP: SY-CZ08
Floor:Marble((by user)



SY-JBY08

可选配置

轿顶	喷砂青铜不锈钢
轿壁	青铜镜面不锈钢 青铜镜面蚀刻不锈钢 青铜喷砂不锈钢
轿门	青铜喷砂不锈钢
前壁	青铜喷砂不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Sandblasted bronze stainless steel
Cabin wall:Bronze mirror stainless steel
Bronze mirror surface with stainless steel etching
Bronze sandblasted stainless steel
Cabin door: Bronze sandblasted stainless steel
Front Wall of Cabin: Bronze sandblasted stainless steel
COP: SY-CZ08
Floor:Marble((by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

SY-JBY09

可选配置	
轿顶	星空顶 线条灯
轿壁	青铜镜面不锈钢 青铜镜面蚀刻不锈钢 青铜喷砂不锈钢
轿门	青铜喷砂不锈钢
前壁	青铜喷砂不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration
Cabin Ceiling: Starry ceiling, LED strip light
Cabin Wall: Bronze mirror stainless steel, Bronze mirror surface with etched stainless steel, Bronze sandblasted stainless steel
Cabin Door: Bronze sandblasted stainless steel
Front Wall of Cabin: Bronze sandblasted stainless steel
COP: SY-CZ08
Floor:Marble(by user)



SY-JBY11

可选配置	
轿顶	镜面不锈钢
轿壁	玫瑰金发纹不锈钢 玫瑰金镜面蚀刻不锈钢 玫瑰金镜面不锈钢
轿门	玫瑰金发纹不锈钢
前壁	玫瑰金发纹不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration
Cabin Ceiling: Mirror stainless steel
Cabin Wall: Rose gold hairline stainless steel, Rose gold mirror stainless steel with etching, Rose gold mirror stainless steel
Cabin Door: Rose gold hairline stainless steel
Front Wall of Cabin: Rose gold hairline stainless steel
COP: SY-CZ08
Floor:Marble(by user)



SY-JBY10

可选配置	
轿顶	镜面不锈钢
轿壁	喷砂不锈钢镀钛金 镜面蚀刻不锈钢镀钛金 镜面不锈钢 木纹
轿门	喷砂不锈钢镀钛金
前壁	喷砂不锈钢镀钛金
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration
Cabin Ceiling: Mirror stainless steel
Cabin Wall: Sandblasted stainless steel with titanium gold plating, Mirror etched stainless steel with titanium gold plating, Mirror stainless steel, Wood-grain stainless steel
Cabin Door: Sandblasted stainless steel with titanium gold plating
Front Wall of Cabin: Sandblasted stainless steel with titanium gold plating
COP: SY-CZ08
Floor:Marble(by user)



SY-JBY12

可选配置	
轿顶	镜面不锈钢、透光板、筒灯
轿壁	观光玻璃、黑钛镜面不锈钢
轿门	黑钛镜面玻璃门
前壁	黑钛镜面不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration
Cabin Ceiling:Mirror stainless steel, Light-transmitting panel, Recessed downlight
Cabin Wall:Sightseeing glass panel, Black titanium mirror stainless steel
Cabin door:Black titanium mirror glass door.
Front Wall of Cabin: Black titanium mirror stainless steel
COP:SY-CZ08
Floor:Marble(by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

SY-JBY13

可选配置

轿顶	镜面不锈钢、透光板、筒灯
轿壁	黑钛喷砂不锈钢、观光玻璃 黑钛镜面不锈钢
轿门	黑钛镜面玻璃门
前壁	黑钛镜面不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Mirror stainless steel, Light-transmitting panel, Recessed downlight
Cabin Wall: Black titanium sandblasted stainless steel, Sightseeing glass panel, Black titanium mirror stainless steel
Cabin Door: Black titanium mirror glass door.
Front Wall of Cabin: Black titanium mirror stainless steel
COP: SY-CZ08
Floor: Marble (by user)



SY-JBY14

可选配置

轿顶	透光板
轿壁	镜面不锈钢镀玫瑰金 镜面蚀刻不锈钢镀玫瑰金 喷砂不锈钢镀玫瑰金
轿门	喷砂不锈钢镀玫瑰金
前壁	喷砂不锈钢镀玫瑰金
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Light-transmitting panel
Cabin Wall: Mirror stainless steel with rose gold plating, Mirror etched stainless steel with rose gold plating, Sandblasted stainless steel with rose gold plating
Cabin Door: Sandblasted stainless steel with rose gold plating
Front wall of cabin: Sandblasted stainless steel with rose gold plating
Cop: SY-CZ08
Floor: Marble (by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

SY-JBY15

可选配置

轿顶	镜面不锈钢 回型LED灯
轿壁	3D金属打印灰色橡木纹、3D金属打印米白布纹 LED线条灯、装饰画(客户自理)
轿门	镜面不锈钢
前壁	镜面不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Mirror stainless steel, Loop-shaped LED light
Cabin Wall: 3D Metal printed-grey oak grain and 3D printed metal with beige fabric texture stainless steel, LED strip light, Decorative painting (by user)
Cabin Door: Mirror Stainless Steel
Front Wall of Cabin: Mirror Stainless Steel
COP: SY-CZ08
Floor: Marble (by user)



SY-JBY16


可选配置

轿顶	镜面不锈钢 回型LED灯
轿壁	3D金属打印灰色橡木纹 3D金属打印米黄布纹 3D金属打印米孔雀图案 LED线条灯
轿门	镜面不锈钢
前壁	镜面不锈钢
操纵箱	SY-CZ08
地板	大理石（客户自理）



Optional Configuration

Cabin Ceiling: Mirror stainless steel, Loop-shaped LED light
Elevator Cabin: 3D Metal Printed-Grey Oak Grain, 3D Metal Printing Beige Cloth Texture, 3D Metal Printing of Peacock Pattern, LED strip light
Cabin Door: Mirror stainless steel
Front Wall of Cabin: Mirror stainless steel
COP: SY-CZ08
Floor: Marble (by user)



本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

◎ 操纵箱外召 COP & LOP



SY-CZ13
标准配置
Standard configuration



SY-WZ19

分体式操纵箱特点 Split-Type COP Features

- 造型简约 Minimalist design
- 现代感强 Strong modern aesthetic
- 按钮简易 Intuitive buttons
- 操作方便自如 Effortless operation

外召特点 LOP Features

- 造型简约 Minimalist design
- 有底盒外召 LOP with base box
- 按钮简易 Intuitive buttons
- 操作方便自如 Effortless operation

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

◎ 产品部件 Product Elements



SY-CZ08
标准配置
Standard configuration



SY-WZ25



SY-CZ09
可选配置
Standard configuration



SY-WZ16

分体式操纵箱特点 Split-Type COP

- 钢化玻璃面板 Tempered glass panel
- 机械式按钮(可选触摸式按钮)
Mechanical buttons
(touch buttons optional)

外召特点 LOP

- 钢化玻璃面板 Tempered glass panel
- 断码显示 Segment display
- 机械式按钮(可选触摸式按钮)
Mechanical buttons
(touch buttons optional)

产品特点 COP Features

- 13寸轿内触摸屏 13-inch touchscreen
- 中文界面 (仅中国区域适用)
Chinese interface (only available in China)
- 铭牌、LOGO显示 Showing nameplate & logo
- 标配物理开门按钮 Standard physical door-open button
- 最大支持层 Maximum supported floors
- 语音报站功能 (中文) Voice announcement function (Chinese)
- 应急照明灯集成 Integrated emergency lighting
- 配置4G互联网及WiFi功能 4G internet & WiFi connectivity
- 天气预报、日期、时间显示 Showing weather forecast, date and time
- 图片、音频、视频播放 Image, audio, and video playback
- 一键拨号救援功能 (仅市电状态适用)
One-touch emergency call function (only applicable when powered by mains)
- 白黑两种颜色结构可选 Available in white and black housing options

外召特点 LOP Features

- 触摸
Touchscreen
- 4.2寸蓝底白字/黑底白字
4.2-inch blue with white text/
black with white text

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

◎厅门系列
Landing Door Series



SY-M03镜面
镜面不锈钢
Mirror stainless steel



SY-LD017
古铜和纹蚀刻不锈钢
Bronze and patterned etched stainless steel



SY-LD018
古铜喷砂蚀刻不锈钢
Alleyway sandblasting etched stainless steel



SY-LD019
黑钛喷砂蚀刻不锈钢
Black titanium sandblasted and etched stainless steel



SY-LD020
古铜发纹蚀刻不锈钢
Antique bronze hairline etched stainless steel



SY-LD021
香槟金喷砂蚀刻不锈钢
Champagne gold sandblasted and etched stainless steel



SY-LD022
玫瑰金喷砂蚀刻不锈钢
Rose gold sandblasted and etched stainless steel



SY-LD023
黑钛喷砂蚀刻不锈钢
Black titanium sandblasted and etched stainless steel



SY-LD024
茶色镜面蚀刻不锈钢
Brown mirror finished etched stainless steel



SY-LD025
钛金镜面蚀刻不锈钢
Titanium mirror stainless steel with etching

◎玻璃选型
Glass Panel Selection



RBL-JS-001
夹绢玻璃
Silk glass selection



RBL-JS-002
夹绢玻璃
Silk glass selection




RBL-JS-003
夹绢玻璃
Silk glass selection



RBL-JS-004
夹绢玻璃
Silk glass selection



RBL-JS-005
夹绢玻璃
Silk glass selection



RBL-JS-006
夹绢玻璃
Silk glass selection



SK-001
磨砂玻璃
Frosted glass



SK-003
透明玻璃
Transparent glass

◎把手选型
Handle Selection



RLS-1001
材质: 铝镁合金
型号: L=220mm
颜色: 天然色/香槟色/爵士黑
Material: Aluminum-Magnesium Alloy
Model: L=220mm
Color: Natural/Champagne/Jazz Black



RLS-1002
材质: 铝镁合金
型号: L=180mm
颜色: 天然色/香槟色/爵士黑
Material: Aluminum-Magnesium Alloy
Model: L=180mm
Color: Natural/Champagne/Jazz Black



RLS-1003
材质: 铝镁合金
型号: L=250mm
颜色: 天然色/香槟色/爵士黑
Material: Aluminum-Magnesium Alloy
Model: L=250mm
Color: Natural/Champagne/Jazz Black



RLS-1004
材质: 铝镁合金
型号: L=240mm
颜色: 天然色/香槟色/爵士黑
Material: Aluminum-Magnesium Alloy
Model: L=240mm
Color: Natural/Champagne/Jazz Black



RLS-1005
材质: 铝镁合金
型号: L=220mm
颜色: 天然色/香槟色/爵士黑
Material: Aluminum-Magnesium Alloy
Model: L=220mm
Color: Natural/Champagne/Jazz Black

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

本目录产品经拍摄和电脑制作而成，选择时请以实物为准。
The pictures are for reference only, please confirm by actual product.

◎家用电梯无机房井道数据表

Hoistway Parameter List of MRL Villa Elevator

产品规格Product specifications

- 紧致美观，井道利用率高
- 安装便捷，快速交付



顶层高度
≥3300mm



底坑深度
≥150mm

型号Model	驱动Driving	速度Speed	载重Capacity	井道内尺寸HoistwayInner Size (W*D)	轿厢尺寸Cabin size (W*D)	开门方式Opening Type	开门宽度Opening Width
Y450-D	吊顶曳引Top-Hung Traction	0.3 m/s	320kg	1600*1100mm	900*900mm	手拉门 Pull Door	800mm
			400kg	1600*1400mm	900*1200mm	手拉门 Pull Door	800mm
		0.4 m/s	320kg	1600*1400mm	900*1100mm	中分门 Co Door	600mm
			320kg	1750*1400mm	1000*1100mm	中分门 Co Door	700mm
			400kg	1750*1500mm	1000*1200mm	中分门 Co Door	700mm
			400kg	1750*1600mm	1000*1300mm	中分门 Co Door	700mm
			400kg	1900*1600mm	1100*1300mm	中分门 Co Door	800mm
			450kg	1900*1700mm	1100*1400mm	中分门 Co Door	800mm

产品规格Product specifications

- 紧致美观，井道利用率高
- 安装便捷，快速交付



顶层高度
≥2800mm



底坑深度
≥350mm

型号Model	驱动Driving	速度Speed	载重Capacity	井道内尺寸HoistwayInner Size (W*D)	轿厢尺寸Cabin size (W*D)	开门方式Opening Type	开门宽度Opening Width
Y450-G	底托钢带Base Support Steel Belt	0.3 m/s	320kg	1500*1050mm	900*900mm	手拉门 Pull Door	800mm
			400kg	1500*1350mm	900*1200mm	手拉门 Pull Door	800mm
		0.4 m/s	320kg	1550*1400mm	900*1100mm	中分门 Co Door	600mm
			320kg	1700*1400mm	1000*1100mm	中分门 Co Door	700mm
			400kg	1700*1500mm	1000*1200mm	中分门 Co Door	700mm
			400kg	1700*1600mm	1000*1300mm	中分门 Co Door	700mm
			400kg	1850*1600mm	1100*1300mm	中分门 Co Door	800mm
			450kg	1850*1700mm	1100*1400mm	中分门 Co Door	800mm

产品规格Product specifications

- 紧致美观，井道利用率高
- 安装便捷，快速交付



顶层高度
≥2800mm



底坑深度
≥350mm

型号Model	驱动Driving	速度Speed	载重Capacity	井道内尺寸HoistwayInner Size (W*D)	轿厢尺寸Cabin size (W*D)	开门方式Opening Type	开门宽度Opening Width
Y450-T	底托曳引Base Support Traction	0.3 m/s	320kg	1550*1100mm	900*900mm	手拉门 Pull Door	800mm
			400kg	1550*1400mm	900*1200mm	手拉门 Pull Door	800mm
		0.4 m/s	320kg	1600*1400mm	900*1100mm	中分门 Co Door	600mm
			320kg	1750*1400mm	1000*1100mm	中分门 Co Door	700mm
			400kg	1750*1500mm	1000*1200mm	中分门 Co Door	700mm
			400kg	1750*1600mm	1000*1300mm	中分门 Co Door	700mm
			400kg	1900*1600mm	1100*1300mm	中分门 Co Door	800mm
			450kg	1900*1700mm	1100*1400mm	中分门 Co Door	800mm

产品规格Product specifications

- 紧致美观，井道利用率高
- 安装便捷，快速交付



顶层高度
≥3200mm



底坑深度
≥150mm

型号Model	驱动Driving	速度Speed	载重Capacity	井道内尺寸HoistwayInner Size (W*D)	轿厢尺寸Cabin size (W*D)	开门方式Opening Type	开门宽度Opening Width
Q450	强驱Power Drive	0.3 m/s	320kg	1300*1050mm	900*900mm	手拉门 Pull Door	800mm
			400kg	1300*1350mm	900*1200mm	手拉门 Pull Door	800mm
		0.4 m/s	320kg	1400*1300mm	1000*1000mm	中分门 Co Door	600mm
			320kg	1600*1300mm	1200*1000mm	中分门 Co Door	700mm
			400kg	1600*1500mm	1200*1200mm	中分门 Co Door	700mm
			400kg	1600*1600mm	1200*1300mm	中分门 Co Door	700mm
			400kg	1750*1500mm	1300*1200mm	中分门 Co Door	800mm
			450kg	1750*1600mm	1300*1300mm	中分门 Co Door	800mm

◎电梯功能表

Elevator Function

● 标准功能 Standard function ● 可选功能 Optional function

安全功能 Safety function

- 主机过热保护 Host over-heat protection
- 安全回路分段检测 Safety loop sectional detection
- 运行小时累计 Accumulated running hours
- 手动松闸功能 Manual brake-releasing function
- 轿厢紧停开关-底坑 Car emergency-stop switch—pit
- 断电紧急平层ARD Power-failure emergency leveling ARD
- 电梯主开关-控制柜内 Main elevator switch-inside control cabinet
- 家用设备断电应急供电功能 (UPS功能) Home equipment power-failure emergency power-supply function(UPS function)
- 轿门触点 Car door contactor
- 轿厢照明主开关盒主保险-控制柜内 Main fuse of car lighting main seitch box-inside control cabinet
- 轿顶撑杆触点 Car-top supporting rod contactor
- 轿厢紧停开关-轿顶 Car emergency-stop switch—car-top
- 手动紧急救援 Manual emergency rescue
- 限速器安全触点 Speed limiter safety contactor
- 自动发送救援信息功能 (GSM功能) Automatic sending function of rescue information(GSM function)
- 限速器张紧安全触点 Speed limiter tensioning safety contactor
- 总电源开关箱 Main power switch box
- 底坑撑杆触点 Pit supporting rod contactor
- 轿厢位置开关 Car position switch
- 紧急轿厢照明 Emergency car lighting
- 安全钳安全触点 Safety tongs safety contactor
- 应急电话 (一键拨号电话) Emergency telephone(one-key dial telephone)
- 禁止开门开关 No-opening switch

信息功能 Infarmation function

- 外呼登陆显示灯 Outer calling log-in display lamp
- 超载功能图案及蜂鸣器 Overload functional design and buzzer
- 运行次数累计 Accumulated running times
- 内呼登陆显示灯 Inner calling log-in display lamp
- 门区指示灯 Door zone indication lamp
- 运行方向指示 Running direction indication
- 各层均有方向箭头，层位显示 Directional arrow,landing display at each floor
- 轿厢位置指示 Car position indication
- 一般故障信号 Common trouble signal

控制功能 Control function

- 禁止外呼 No outer calling
- 测试运行 Testing operation
- 检修运行 Inspection operation
- 紧急召回 Emergency recall
- 各层关门世界可同意调节 Door opening/ closing time at each floor can bi unanimously
- NMS远程监控 NMS long-distance monitor
- 自动门 Autamatic door
- 电梯门未开则自动开往下一站 If elevator door does not open, it automatically goes to next landing

乘客舒适功能 Passengers comfortable function

- 开门按钮 Door-opening button
- 轿内照明监察 Car lighting monitor
- 二次按钮取消错误内呼 Secondary button-perssing cancelling of error inner-calling
- 外呼再开门 Outer calling re-opening
- 轿内照明 Car lighting
- 轿内风扇 Car fan
- 光幕 Light curtain
- 残疾人使用功能 (盲人按钮，语音提示) Use function for disabled (buttons for the blind,voice prompt)
- 反向内呼 Reversal inner-calling
- 可选开门 (如有通门) Optional opening(if opposite door is available)
- 关门按钮 Door -closing button
- 背景音乐/语音报站 Background music/ voice arrival
- 按钮黏滞监察 Monitor of sticky button-pressing
- 贯通门 Opposite door

◎全方位服务

All-round service

- 私人专享方案
- 720°效果选配预案
- 全程技术支持服务
- 24H免费服务热线
- VIP customized package
- 720° effect optional plan
- Comprehensive technical support services
- 24-hour free service hotline

